UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,003	02/25/2005	Helmut Seidlitz	HAFTOM P02AUS	9610
	7590 11/20/200 D & Daniels, P.L.L.C.		EXAMINER	
112 PLEASAN	T STREET		DRODGE, JOSEPH W	
CONCORD, NH 03301			ART UNIT	PAPER NUMBER
			1797	
			MAIL DATE	DELIVERY MODE
			11/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/526,003	SEIDLITZ ET AL.	
Office Action Summary	Examiner	Art Unit	
	Joseph W. Drodge	1797	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) ☐ Responsive to communication(s) filed on 14 N 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for alloware closed in accordance with the practice under B	action is non-final. nce except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 9,11 and 13-17 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 9,11 and 13-17 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the I drawing(s) be held in abeyance. See tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	es have been received. Es have been received in Applicati Frity documents have been receive Fu (PCT Rule 17.2(a)).	on No ed in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate	

Art Unit: 1797

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 9,11 and 13-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Podbielniak patent 2,281,796 in view of Vaughan patent 2,819,015 and also in view of Kanel et al patent 6,106,720 and DeFilippi et al patent 4,349,415 (newly recited).

Podbielniak discloses: a method and device for extracting impurities from liquids such as lubricating oils, using compressed solvents in counter-current contact and contact with carbon

dioxide that may be in the form of a vapor (page 3, at column 1, lines 1-11 and 57-67), applying the countercurrent-contacing liquids as a thin film (page 2, lines 28-36) in a pressurized (pressure-tight) manner (column 2, lines 65-75 of page 2 and see page 2 at column 2, lines 57-65 concerning sealing), mechanically acting on the liquid as it flows as a film by flow action of the rotor (page 2, column 2, lines 28-36), the liquid being treated, solvent liquid and carbon dioxide all being separately discharged (carbon dioxide by lines 21/51 – page 3, line 11), (liquids through collecting line and openings 29 – page 2, line 35 etc.).

The provided device contains oppositely oriented introduction and discharge ports or openings 12 and 18 (page 1, column 1, line 40-page 2, column 2, line 8); also see page 3, column 2, lines 65-68 concerning openings for introduction of heavier and diverse lighter liquids into the countercurrent, column device.

The device provided may also be utilized to extract impurities or other constitutents from liquids by solvent extraction, the liquids may be immiscible with each other or concern refining of lubricating or refining oils (page 1, column 1, lines 4-10 and page 3, column 2, lines 57-67).

The claims differ in requiring that the carbon dioxide be in liquid or supercritical form. However, Kanel et al teach solvent extraction utilizing such liquid/supercritical carbon dioxide and expounds upon a plethora of advantages of using such (columns 1-2, etc.) and concerns solvent extraction for treating oils (page 5, lines 24-53 or column 1, lines 54-63) and extraction using columnar vessels, countercurrent flow and varied internal agitation and mixing implements (column 6, lines 35-45 and column 6, line 54-column 7, line 7). It would have been obvious to have modified the Podbielniak method and device, by either employing the carbon dioxide in liquid/supercritical form, or employing such carbon dioxide as alternative to the disclosed

Art Unit: 1797

solvents, as taught by Kanel et al, since such form of carbon dioxide has greatly enhanced salvation power.

The claims differ in requiring that the carbon dioxide be in liquid or supercritical form and be used for solvent extraction as the extracting agent. Podbielniak may be utilized to extract impurities or other constitutents from liquids by solvent extraction, the liquids may be immiscible with each other or concern refining of lubricating or refining oils (page 1, column 1, lines 4-10 and page 3, column 2, lines 57-67) However, Kanel et al teach solvent extraction utilizing such liquid/supercritical carbon dioxide and expounds upon a plethora of advantages of using such (columns 1-2, etc.) and concerns solvent extraction for treating oils (page 5, lines 24-53 or column 1, lines 54-63) and extraction using columnar vessels, countercurrent flow and varied internal agitation and mixing implements (column 6, lines 35-45 and column 6, line 54column 7, line 7). Kanel refers to incorporating DeFilippe at column 5, lines 33-34; DeFilippe also concerning countercurrent solvent extraction utilizing supercritical or liquid carbon dioxide and employment in refining of hydrocarbon oils (column 1, lines 19-22; column 3, lines 49-68 and column 6, lines 20-43). It would have been obvious to have modified the Podbielniak method and device, by employing carbon dioxide in liquid/supercritical form as a solvent for solvent extraction, as taught by Kanel et al and DeFilippi et al, since such form of carbon dioxide has greatly enhanced salvation power, is suitable for separating hydrocarbon azeotrope mixtures, is energy efficient, and can be readily separated from the solvent/extract mixture and recycled. These advantages are purported in both DeFilippe and Kanel.

Art Unit: 1797

The claims all now also differ in requiring that the rotor carry both radial arms and rods, scrapers, wipers or rollers that extend axially or in the direction of axis of rotation of the rotor. Vaughan teaches, in a solvent extraction device (column 1, lines 22-35), to employ a cylindrical rotor (9/60/62) having vanes 12, and annular arms 53 that extend radially from the rotor and also vanes (rods) that extend axially from and between the arms along the rotors (column 3, lines 15-35). Both DeFilippe (column 6, lines 23-26) and Kanel (column 6, lines 62-63...column 7, line 5) explain that agitation is desirable. It would have been thus also obvious to have utilized the arms and axially extending rods/vanes of Vaughan to the Podbielniak method and device, in order to form enhanced mixing action to contact the entire liquid flow volume in the Podbielniak device and method with solvent and carbon dioxide, thus increasing rate of extraction of impurities into the solvent.

Podbielniak discloses that the column is cylindrical for claim 13, and has sealing lids 17 with flanges at opposite ends for claims 15 and 16.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Podbielniak patent 2,281,796 in view of Vaughan patent 2,819,015, and further in view of DeFilippi et al patent 4,349,415 (newly recited) and Kanel et al patent 6,106,720, as applied to claims 9,11 and 13-17, and further in view of Holl patent 6,752,529 of record. Claim 14 also requires rotor being driven/connected to magnetic coupling. Holl suggest such magnetic coupling (column 5, lines 42-55) in a device for reacting liquids with high speed rotor. It would have been further obvious to have utilized the magnetic coupling of Holl to drive the Podbielniak rotor, in order to maintain a faster rotational speed of rotor and blades so as to effect a faster more thorough mixing and contacting.

Applicant's arguments filed on 14 November 2008 have been fully considered but they are not persuasive, especially in view of the modified grounds of rejection, and are fully addressed.

It is argued that in Podbielniak, carbon dioxide is merely used as an inert gas to aid in building up pressure, and not utilized as a solvent. Such argument is persuasive and acknowledged as correct; however, DeFilippe and Kanel extensively teach advantages of using carbon dioxide as a solvent for solvent extraction in devices using countercurrent flow and agitation, and the solvent extraction specifically utilized for similar liquid mixtures that may undergo countercurrent solvent extraction in the Podbielniak process and apparatus.

It is argued that no motivation is present for including the agitating devices of Vaughan in the method and device of Podbielniak; however both DeFilippe and Kanel teach to utilize agitation in counter-current solvent extraction columns, as is one optional use of the device of the primary reference. The extent of the "several structural features that are not in any way....taught" concerning arguments to claim 11 is not known. If this refers to openings or ports of the device, all four applied references disclose and teach a plurality of ports, not only at both ends of the column, but also at intermediate locations.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Drodge at telephone number 571-272-1140. The examiner can normally be reached on Monday-Friday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the

Art Unit: 1797

examiner's supervisor, David Roy Sample, can reached at 571-272-1376. The fax

phone number for the examining group where this application is assigned is

571-273-8300.

Information regarding the status of an application may be obtained from

the Patent Application Information Retrieval (PAIR) system. Status information

for published applications may be obtained from either private PAIR or Public

PAIR, and through Private PAIR only for unpublished applications. For more

information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have any questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

JWD

November 19, 2008

/Joseph W. Drodge/

Primary Examiner, Art Unit 1797